

# **BIBLIOGRAPHY OF SCIENTIFIC ARTICLES FOR CLINICAL CARE OF LUMBAR-SACRAL ADHESIVE ARACHNOIDITIS (AA)**

This bibliography will be periodically updated as references are found  
that impact clinical care for AA.

*Furnished as a public service by the  
“Arachnoiditis Research and Education Project” of the Tennant Foundation*

## References

1. Addison T. The constitutional and local effects of disease of the supra-renal capsules. *London:Samuel Highley;1855.*
2. Akwa Y, Young J, Kabbadj K, et al. Neurosteroids: biosynthesis, metabolism and function of pregnenolone and dehydroepiandrosterone in the brain. *J Steroid Biochem Molec Biol* 1991;40(1-3):71-81.
3. Aldrete JA. Suspecting and diagnosing arachnoiditis. *Pract Pain Mgt* 2006;6(1):72-82.
4. Aldrete JA. Nerve root "irritation" or inflammation diagnosed by magnetic resonance imaging. *Anesthesiology* 2003;98(5):1294.
5. Aldrete JA. Epidural injections of indomethacin for post-laminectomy syndrome: a preliminary report. *Anesth Anal* 2003;96(2):463-468.
6. Aldrete JA. History and evaluation of arachnoiditis: the evidence revealed. *Insurgentes Centro 51-A. Col San Rafael, Mexico* 2010; p3-14.
7. Aloisi AM, Ceccarelli I, Fiorenzani P, et al. Testosterone affects pain-related responses differently in male and female rats. *Neurosci Lett.* 2004;361:262-264.
8. Asiedu M, Ossipov MHG, Kaila K, et al. Acetazolamide and midazolam act synergistically to inhibit neuropathic pain. *Pain.* 2010;148(2):302-308.
9. Asiedu M, Ossipov MHG, Kaila K, et al. Acetazolamide and midazolam act synergistically to inhibit neuropathic pain. *Pain* 2010;148(2):302-308.
10. Avidan A, Gomori M, Davidson E. Nerve root inflammation demonstrated by magnetic resonance imaging in a patient with transient neurologic symptoms after intrathecal injection of lidocaine. *Anesthesiology* 2002;97(1):257-258.
11. Benoliel R, Tal M, Eliav E. Effects of topiramate on the chronic constriction injury model in the rat. *J Pain* 2006;7:878-883. (Pub Med: 17157773)
12. Bilello J, Tennant F. Lower serum cortisol levels in patients with arachnoiditis and chronic intractable pain (CIP). Presented at *PAINWeek*; Las Vegas, Nevada: 2016.
13. Bilello J, Tennant F. Patterns of chronic inflammation in extensively treated patients with arachnoiditis and chronic intractable pain. *Postgrad Med.* 2016;92(17):1-5.
14. Bjurstrom MF, Giron SF, Griffis CA. Cerebrospinal fluid cytokines and neurotropic factors in human chronic pain populations: a comprehensive review. *Pain Pract.* 2014;Oct. 29:doi10.1111/papr.12252.
15. Bohn MC, O'Banion NK, Young DA, et al. In vitro studies of glucocorticoid effects on neurons and astrocytes. *Amer NY Acad Sci* 1994;746:243-258.
16. Bonner B, Ehni G. Spinal arachnoiditis: the post-operative variety in particular. *Spine* 1978;3:40-44.
17. Burton CV. Lumbrosacral arachnoiditis. *Spine* 1978;3:24-30.
18. Castori M, Voermann NC. Neurological manifestations of "Ehlers-Danlos Syndromes. *Iran J of Neurol* 2014;13:190-208.
19. Ceccon M, Runbaugh G, Vincini S. Distinct affect of pregnenolone sulfate on NMDA receptor subtypes. *Neuropharm* 2001;40:491-500.
20. Charcot JM, Joffrey A. Deux cas d'atrophic musculaire progressive avec lesions de la substance gris et des faisceaux anterolateraux de la moelle spinale. *Arch de Physiologic* 1869;2:354-358.

21. Chang DM, Chu SJ, Chen HC, et al. Dehydroepiandrosterone suppresses interleukin 10 synthesis in women with systemic lupus erythematosus. *Ann Rheum Dis* 2004;63:1623-1620.
22. Chao CC, Hu S, Close K, et al. Cytokine release from microglia: differential inhibition by pentoxifylline and dexamethasone. *J Infect Dis* 1992;166(4):842-853.
23. Chew DJ, Carlstedt T, Shortland PJ. The effects of minocycline or riluzole treatment on spinal root avulsion-induced pain in adult rats. *J Pain*. 2014;15(6):664-675.
24. Cohen MS, Wall EJ, Kerber CW, et al. The anatomy of the cauda equina on CT scans and MRI. *J Bone Joint Surg* 1991;73-B:381-384.
25. Compagnone NA, Mellon SH. Neurosteroids: biosynthesis and function of these novel neuromodulators. *Front Neuroendocrinol* 2000;21:1-56.
26. Cooke RR, McIntosh RP, McIntosh JG, et al. Serum forms of testosterone in men after an HCG stimulation: relative increase in non-protein bound forms. *Clinical Endocrinol (Oxf)* 1990 Feb; 32(2):165-175.
27. Coronel MF, Labomlorda F, Roig P, et al. Progesterone prevents allodynia after experimental spinal cord injury. *J of Pain* 2011;12:71-83.
28. Csarr HF, Harling-Berg CJ, Knopf PM. Drainage of brain extracellular fluid into blood and deep cervical lymph and its immunological significance. *Brain Path* 1992;2:259-296.
29. Cui Y, Liao XX, Liu W, et al. A novel role of minocycline attenuating morphine antinociceptive tolerance by inhibition of p38 MAPK in the activated spinal microglia. *Brain Behav Immun* 2008;22:114-123.
30. Damkier HH, Brown PD, Praetorius J. Cerebrospinal fluid secretion by the choroid plexus. *Physiol Rev* 2013;93(4):1847-92.
31. Dawson-Basoa M, Gintzler AR. Estrogen and progesterone activate spinal kappa-opiate receptor analgesic mechanisms. *Pain* 1996;64:608-615.
32. Delamarter RB, Ross JS, Masaryk TJ, et al. Diagnosis of lumbar arachnoiditis by magnetic resonance imaging. *Spine* 1990;15:304-310.
33. Delanian S, Porcher R, Balla-Mekias S, et al. Randomized placebo-controlled trial of combined pentoxifylline and tocopherol for regression of superficial radiation-induced fibrosis. *J Clin Oncol* 2003;21:2545-2550.
34. Djeball M, Guo Q, Pertus EH, et al. The neurosteroids progesterone and allopregnanolone reduce cell death, gliosis, and functional deficits after traumatic brain injury in rats. *J Neurotrauma* 2005;22:106-118.
35. Dorazil-Dudzik M, Mika J, Schafer MK, et al. The effects of local pentoxifylline and propentofylline treatment on formalin-induced pain and tumor necrosis factor-alpha messenger RNA levels in the inflamed tissue of the rat paw. *Anesth Analg* 2004;98:1566-1573.
36. Drago F, Caccamo G, Continella G, et al. Amphetamine-induced analgesia does not involve brain opioids. *Eur J Pharmacol* 1984; 101(3-4):267-9.
37. Eisenberg E, Goldman R, Shlag-Eisenberg D, Grinfeld A. Adhesive arachnoiditis following lumbar epidural steroid injections: a report of two cases and review of literature. *J Pain Research* 2019;12:513-518.
38. Elliott J. Of the cure of sciatica in a complete collection of the medical and philosophical works of John Fothergill. *Pater-Noster-Row*, London;1781:p355-363.

39. Epstein NE. The risks of epidural and transforminal steroid injections in the spine: commentary and a comprehensive review of the literature. *Surg Neurol* 2013;4(supe2):574-593.
40. Evrard HC, Balthazart J. Rapid regulation of pain by estrogens synthesized in spinal dorsal horn neurons. *J Neurosci* 2004;24:7225-7229.
41. Fednekar J and Mulgacnker V. Role of testosterone on pain threshold in rats. *Indian J Physci Pharmacol* 1995;39:423-24.
42. Frye CA, Duncan JE. Progesterone metabolites, effective at the GABA(A) receptor complex, attenuate pain sensitivity in rats. *Brain Res* 1994;643:194-23.
43. Garcia-Estrada J, Luquin S, Fernandez AM, et al. Dehydroepiandrosterone, pregnenolone, and sexsteroids down-regulate reactive astroglia in the male rat brain after a penetrating brain injury. *Intern J Develop Neuro* 1999;17(2):145-151.
44. George C, Lefain JL, Delonion S. Case report: resolution of symptomatic epidural fibrosis following treatment with combined pentoxifylline-tocopherol. *Br J Radiol.* 2004;77:885-887.
45. Gold J, High HA, Li Y, et al. Safety and efficacy of nandrolone decanoate for treatment of wasting in patients with HIV infection. *AIDS* 1996 Jun;10(7):745-52.
46. Graeber MB. Changing face of microglia. *Science.* 2010;330(6005):783-788.
47. Grande L, Delacrue H, Thompson G, et al. Oral ketamine for chronic pain: a 32-subject placebo-controlled trial in patients on chronic opioids. *J Pain* 2016;17(4):5149.
48. Green PS, Bishop J, Simpkins JW. 17 alpha-estradiol exerts neuroprotective effects on SK-N-SH cells. *J Neurosci* 1997;17:511-515.
49. Guth L, Zhang Z, Roberts E. Key role for pregnenolone in combination therapy that promotes recovery after spinal cord injury. *Proc Natl Acad Sci* 1994;91:12308-12312.
50. Harvey JW, Otterson M, Yun H, et al. Acetazolamide reduces referred postoperative pain after laparoscopic surgery with carbon dioxide insufflation. *Anesthesiology.* 2003;99:924-928.
51. Harvey SC. Meningeal adhesions and their significance. *Interstate Post Grad Med, North America Prac* 1926;2:27-31.
52. Harvey JW, Otterson M, Yun H, et al. Acetazolamide reduces referred postoperative pain after laparoscopic surgery with carbon dioxide insufflation. *Anesthesiology* 2003;99:924-928.)
53. Hassager C, Jensen LT, Podenphant J, et al. Collagen synthesis in post-menopausal women during therapy with anabolic steroid or female sex hormones. *Metabolism* 1990 Nov;39(11):1167-9.
54. Hau M, Dominguez OA, Evrard HC. Testosterone reduces responsiveness to nociceptive stimuli in a wild bird. *Horm Behav* 2004;46:165-170.
55. Haughton VM, Eldavis OP, Ho KC, et al. Arachnoiditis from experimental myelograph with aqueous contrast media. *Spine* 1978;3:65-69.
56. He J, Evans CO, Hoffman SW, et al. Progesterone and allopregnanolone reduce inflammatory cytokines after traumatic brain injury. *Exp Neuro* 2004;189:404-412.
57. Henderson FC, Austin C, Benzel E, et al. Neurological and spinal manifestations of the Ehlers-Danlos Syndromes. *Amer J Men Gen* 2017;175C:195-211. Herd MB, Belilli D, Lambert JJ, et al. Neurosteroid modulation of synaptic and extra synaptic GABA(A) receptors. *Pharmacol Ther* 2007 Oct;116(1):20-34.

58. Hoagland JA, Freemont AJ, Denton J, et al. Retained surgical swab debris in post laminectomy arachnoiditis and peridural fibrosis. *J Bone Joint Surg (BR)* 1988;70-B:659-662.
59. Henderson FC, Austin C, Benzel E, et al. Neurological and spinal manifestations of the Ehlers-Danlos Syndromes. *Amer J Med Gen* 2017;175C:195-211.
60. Horsley VAH. Chronic spinal meningitis: its differential diagnosis and surgical treatment. *Br J Med* 1909;1:513-517.
61. Hutchinson MR, Northcutt AL, Chao LW, et al. Minocycline suppresses morphine-induced respiratory depression, suppresses morphine-induced reward, and enhances systemic morphine-induced analgesia. *Brain Behav Immun* 2008;22:1248-1256.
62. Inyang K, Szabo-Pardi T, Price T. Treatment of chronic pain: long-term effects of metformin on chronic neuropathic pain and microglial activation. Presented at *American Pain Society*; Austin, Texas: 2016.
63. Jackson A, Isherwood I. Does degenerative disease of the lumbar spine cause arachnoiditis? A magnetic resonance study and review of the literature. *Brit J Radiology* 1994;67:840-847.
64. Javidi E, Magnus T. Autoimmunity after ischemic stroke and brain injury. *Fron in Immunol* 2019;10:1-12.
65. Jellinek PH, Kaufmann M, Gottfied-Blackmore A, et al. Selective conversion by microglial of dehydroepiandrosterone to 5-androstenediol-asteroid with inherent estrogenic properties. *J Steroid Biochem Mol Biol* 2007;107:156-162.
66. Joels M, DeKloet E. Control of neuronal excitability by corticosteroid hormones. *Trends Neurosci* 1992; 15:25-30.
67. Johanson CE, et al. Multiplicity of cerebrospinal fluid functions: new challenges in health and disease. *Cerebrospinal Fluid Res* 2008;5:10.
68. Jones KJ. Gonadal steroids and neuronal regeneration: a therapeutic role. *Adv Neurol* 1993;59:227-240.
69. Jorgensen J, Hartzen PH, Steenakrov V, et al. A clinical and radiological study of chronic lower spinal arachnoiditis. *Neuroradiology* 1975;9:139-144.
70. Karishma KK, Herbert J. Dehydroepiandrosterone (DHEA) stimulates neurogenesis in the hippocampus of the rat, promotes survival of newly formed neurons and prevents corticosterone induced suppression *Eur J Neurosci* 2002;16:445-453.
71. Kelso MI, Schef NN, Scheff SW, et al. Melatonin and minocycline for combinatorial therapy to improve functional and histopathological deficits following traumatic brain injury. *Neurosci Lett* 2011;488(1):60-64.
72. Khoromi S, Patsalides A, Parada S, et al. Topiramate in chronic lumbar radicular pain. *J Pain* 2005;6:829-836. (Pub Med: 16326371)
73. Kiefer r, Kreutzberg GW. Effects of dexamethasone on microglial activation in vitro: selective downregulation of major histocompatibility complex class II expression in regenerating facial nucleus. *J Neuroimmunol* 1991;34(2-3):99-108.
74. Kiiski H, Aanismaa R, Tenhunen J, et al. Healthy human CSF promotes glial differentiation of hESC-derived neural cells while retaining spontaneous activity in existing neuronal networks. *Biology Open* 2013;2(6):605-612.
75. Kilts JD, Tupler LA, Keefe FJ, et al. Neurosteroids and self-reported pain in veterans who served in the Military after September 11,2001. *Pain Med* 2010;10:1469-1476.

76. Kitson MC, Kostopanagiotau G, Alimeric K, et al. Histopathological alterations after single epidural injection of rapivacaine, methylprednisolone acetate, or contrast material in swine. *Cardiovasc Intervent Radiol* 2011;34(6):1288-1295.
77. Kleinridders A, Ferris HA, Cai W, et al. Insulin action in brain regulates systemic metabolism and brain function. *Diabetes* 2014;63:2232-2243.
78. Konide AT, McCarthy MM. Developmental time course of estradiol, testosterone, dihydrotestosterone levels in discrete regions of male and female rat brain. *Endocrinol* 2011 Jan;15(1):223-235.
79. Kraces RL, Pasieczny R, Larioso-Willingham, et al. Antioxidant properties of minocycline: neuroprotection in an oxidative stress assay and direct radical-scavenging activity. *J Neurochem* 2005;94:819-827.
80. Kumar A, Montanero W, Wilinsky R, et al. MR features of tubercular arachnoiditis. *J Comput Assist Tomogr* 1993;17:127-130.
81. Laman JD, Weller RO. Drainage of cells and soluble antigen from the CNS to regional lymph nodes. *J Neuroimmune Pharmacol* 2013;8:840-856.
82. Lazardis J, Charalampopoulos I, Alexaki V, et al. Neurosteroid dehydroepiandrosterone interacts with nerve growth factor (NGF) receptors preventing neuronal apoptosis. *Plos Biol* 2001;9(4):e1001051.
83. Lei ZM, Rao CV. Neural actions of luteinizing hormone and human chorionic gonadotropin. *Seminar Reprod Med* 2001;19:103-109.
84. Lei ZM, Rao CV, Kornyei JL, et al. Novel expression of human chorionic gonadotropin/luteinizing hormone receptor gene in brain. *Endocrin* 1993;132:2262-2270.
85. Lefaix JL, Delanizan S, Vozenin MC, et al. Striking regression of subcutaneous fibrosis induced by high doses of gamma rays using a combination of pentoxifylline and alpha-tocopherol: an experimental study. *Int J Radiat Oncol Biol Phys* 1999;43:839-847.
86. Liu J, Feng X, Yu M, et al. Pentoxifylline attenuates the development of hyperalgesia in a rat model of neuropathic pain *Neurosci Lett* 2007;412:268-272.
87. Liu J, Li W, Zhu J, et al. The effect of pentoxifylline on existing hypersensitivity in a rat model of neuropathy. *Anaesth Analg* 2008;106:650-653.
88. Loggia MI, Chunde DB, Oluwaseun A, et al. Evidence for brain glial activation in chronic pain patients. *Brain* 2015;138:604-615.
89. Matsui H, Tsuji H, Kanamori M, et al. Laminectomy-induced arachnoiditis: a postoperative serial MRI study. *Neuroradiol* 1995;37:660-666.
90. Matura S, Okashi M, Chen HC, et al. Physicochemical and Immunological Characterization of an HCG-Like Substance from Human Pituitary Glands. *Nature* 1980; 286: 740-741.
91. Mayo W, Lemaire V, Malaterre J, et al. Pregnenolone sulfate enhances neurogenesis and psancam in young and aged hippocampus. *Neurobiol of Aging* 2005;26(1):103-104.
92. McEwen BS, de Kloet ER, Rostene W. Adrenal steroid receptors and action in the central nervous system. *Physiol Rev* 1986;66:1121-1188.
93. Meieran SE, Reus VI, Webster R, et al. Chronic pregnenolone effects in normal humans attenuation of benzodiazepine-induced sedation. *Psychoneuroendocrinology* 2004 May;29(4):486-500.
94. Meisel C, Schwab JM, Prass K, Meisel A, Dirnag U. Central nervous system injury-induced immune deficiency syndrome. *Nat Rev Neurosci* 2005;6(10):775-786.

95. Melcangi RC, Panzica GC. Allopregnanolone: state of the art. *Prog Neurobiol* 2014 Feb;113:1-5.
96. Melcangi RC, Giatti S, Garcia-Segura LM. Levels and actions of neuroactive steroids in the nervous system under physiological and pathological conditions: sex-specific features. *Neurosci Biobehav Rev* Epub 2015 Dec 2 pii:S01497634 (15)30099-3.
97. Meningitis, Cerebral, Spinal, and Tubercular in Merck's 1899 Manual of the Materia Medica: A Ready Reference Pocket Book for the Practicing Physician. *Merck & Co. New York*, 1899;p146.
98. Mensah-Nyagan A.G., Meyer L., Schaeffer V., et al. Evidence for a key role of steroids in the modulation of pain. *Psychoneuroendocrinology*, Volume 34, Issue SUPPL. 1, 2009, S169-S177.
99. Mika J. Modulation of microglia can attenuate neuropathic pain symptoms and enhance morphine effectiveness. *Pharmacol Rep* 2008;60:297-300.
100. Monij JA. Spinal arachnoiditis disease or coincidence? *Acta Neuroclir* 1980;53:151-160.
101. Morlin R, Young J, Corpechot C, et al. Neurosteroids: pregnenolone in human sciatic nerves. *Proc Natl Acad Sci* 1992;98:6790-793.
102. Nakano M, Matsui H, Miaki K, et al. Post-laminectomy adhesion of the cauda equina: changes of postoperative vascular permeability of the equina of rats. *Spine* 1996;22(10):1105-1114.
103. Nakano M, Matsui H, Miaki K, et al. Post-laminectomy adhesion of the cauda equina: inhibitory effects of anti-inflammatory drugs on cauda equina adhesion in rats. *Spine* 1998;23(3):298-304.
104. Naylor JC, Kilts JD, Szabo ST, et al. Allopregnanolone levels with self-reported pain symptoms in U.S. Iraq and Afghanistan-Era veterans: Implications for biomarkers and therapeutics. *Pain Med* 2016;17:25-32.
105. Nelson DA. Dangers from methylprednisolone acetate therapy by intraspinal injection. *Arch Neurol* 1988;45(7):804-806.
106. Obong MS, Libretto SE. The rationale and use of topiramate for treating neuropathic pain. *Clin J Pain* 2003;19:59-68. (Pub Med: 12514458)
107. O'Callgan JP, SriranT, Miller DB. Defining "neuroinflammation". *Ann NY Acad Sci* 2008;1139:318-330.
108. Pabreja K, Dua K, Sharma S, et al. Minocycline attenuates the development of diabetic neuropathic pain: possible anti-inflammatory and anti-oxidant mechanism. *Eur J Pharmacol* 2011;661(1-3):15-21.
109. Paloyells Y, Krahe C, Mahazos S, et al. The analgesic effect of oxytocin in humans: a double-blind placebo controlled cross-over study using leaser-evoked potentials. *J Neuroendocrinol* 2016;28(4):10,111.
110. Patil AA. The effect of human chorionic gonadotropin (HCG) on restoration of the spinal cord: A preliminary report. *Int Surg* 1990;75(1):54-57.
111. Pi R, Wenning L, Nelson TK, et al. Minocycline prevents glutamate-induced apoptosis of cerebellar granule neurons by differential regulation of p38 and akt pathways. *J Neurochem* 2004;91:1219-1230.
112. Quiles M, Marchicello PJ, Tsairis P. Lumbar adhesive arachnoiditis: etiologic and pathologic aspects. *Spine*. 1978;3:45-50.

113. Radhakrishnan R, Sluka KA. Acetazolamide, a carbonic anhydrase inhibitor, reverses inflammation-induced thermal hyperalgesia in rats. *J Pharmacol Exp Ther* 2005;313:921-927.
114. Raghavendra V, Tanga FY, DeLep JA, et al. Attenuation of morphine tolerance, withdrawal-induced hyperalgesia, and associated spinal inflammatory immune responses by propentofylline in rat. *Neuropsychopharmacology* 2004;29:327-334.
115. Rash JA, Aguirre-Camancho A, Campbell TS. Oxytocin and pain: a systemic review and synthesis of findings. *Clin J Pain* 2014;30(5):453-462.
116. Reddy DS. Neurosteroids: endogenous role in the human brain and therapeutic potentials. *Prog Brain Res* 2010;186:13-137.
117. Roglio I, Bianchi R, Gotti S, et al. Neuroprotective effects of dehydroprogesterone and progesterone in an experimental model of nerve crush injury. *Neurosci* 2008 Aug 26;155(3):673-685.
118. Ross JS, Masaryk TJ, Modic MT, et al. MR imaging of lumbar arachnoiditis. *AJR Am J Roentgenol.* 1987;149:1025-1032.
119. Rydovik B, Holm S, Brown MD, et al. Diffusion from the cerebrospinal fluid as a nutritional pathway for spinal nerve roots. *Acta Physiol Scand* 1990;138:247-248.
120. Sattler FR, Jaque SV, Schroeder ET, et al. Effects of pharmacological doses of nandrolone decanoate and progressive resistance training in immunodeficient patients infected with human immunodeficiency virus. *J Clin Endocrinol Metab* 1999 Apr;84(4):1268-76.
121. Schievink WI, Gordon OK, Tourje J, et al. Connective tissue disorders with spontaneous spinal cerebrospinal fluid leaks and intracranial hypotension: a prospective study. *Neurosurgery* 2004;54(1):65-71.
122. Sevesto S, Merli P, Ruggier M, et al. Ehlers-Danlos Syndrome and neurological features: a review. *Childs Neuro Syst* 2011;27:365-371.
123. Shaw MDM, Russel JA, Grossart KW. The changing pattern of spinal arachnoiditis. *J Neurol Neuropathol Psychiatry* 1978;41:97-107.
124. Singh R, Sen I, Wig J, et al. An acetazolamide based multimodal analgesic approach versus conventional pain management in patients undergoing laparoscopic living donor. *Indian J Anaesth* 2009;53(4):434-441.
125. Sripada RK, Marx CE, King AP, et al. Allopregnanolone elevations following pregnenolone administration are associated with enhanced activation of emotion regulation neurosteroids. *Biol Psychiatry* 2013;73:1045-1053.
126. Streit WJ, Mack RE, Griffin WS. Microglia and neuroinflammation: a pathologic perspective. *J Neuroinflammation* 2004;1:14-19.
127. Supuran CT. Carbonic anhydrases: novel therapeutic applications for inhibitors and activators. *Nat Rev Drug Discov* 2008;7:168-181.
128. Sweitzer SM, Schubert P, DeLeo JA. Propentofylline, a glial modulating agent, exhibits antialloodynic properties in a rat model of neuropathic pain. *J Pharmacol Exp Ther* 2001;297:1210-1217.
129. Tanaka J, Fujita H, Mostsudo S, et al. Glucocorticoid and mineral corticoid receptors in microglial cells: the two receptor mediate differentiation effects of corticosteroids. *Glia* 1997;20:23-37.

130. Tawfik VL, Nutile-McMenemy N, Lacroix-Fralish MI, et al. Efficacy of propentofylline, a glial modulating agent, on existing mechanical allodynia following peripheral nerve injury. *Brain Behav Immun* 2007;21:238-246.
131. Tennant F. Adhesive arachnoiditis. *Pract Pain Manag*. 2014;14(7):63-69.
132. Tennant F. Arachnoiditis: diagnosis and treatment. *Prac Pain Manag*. 2016; 16(5):74-87.
133. Tennant FS. Hormone abnormalities in severe chronic pain patients who fail standard treatment. *Postgrad Med* 2015;127(1):1-4.
134. Tennant F. The physiologic effects of pain on the endocrine system. *Pain Ther*. 2013 Dec;2(2):75-86.
135. Tennant F. Which chronic back pain patients have arachnoiditis. *J Pain* 2016;17(4):532.
136. Tennant F. Search for inflammatory markers in centralized, intractable pain. Presented at: *American Academy of Pain Management*. September 2013;Orlando, Florida.
137. Tennant F. Erythrocyte sedimentation rate and C-reactive protein: old but useful biomarkers for pain treatment. *Pract Pain Manag*. 2013;13(2):61-65.
138. Tennant F. Human chorionic gonadotropin in pain treatment. *Prac Pain Manag* 2009;9:44-46.
139. Tennant F. Erythrocyte sedimentation rate and C-reactive protein: old but useful biomarkers for pain treatment. *Pract Pain Manag*. 2013;13(2):61-65.
140. Tennant F, Pedersen C. Sublingual oxytocin and ketamine for pain relief. *Poster presented at PainWeek*. September 5-9, 2017. Las Vegas, Nevada.
141. Thomas J. Arachnitis and Arachnoiditis. *Comprehensive Medical Dictionary*. Philadelphia, J.B. Lippincott & Co. 1873;p57.
142. Tikka TM, Kaistinaha JE. Minocycline provides neuroprotection against n-methyl-d-aspartate neurotoxicity by inhibiting microglia. *J Immunol* 66:7527-7533.
143. Tikka T, Usenius T, Tenhunon M, et al. Tetracycline derivatives and ceftriaxone, a cephalosporin antibiotic, protect neurons against apoptosis induced by ionizing radiation. *J Neurochem* 2001;78:1409-1414.
144. Tsuda M. Microglia in the spinal cord and neuropathic pain. *J Diabetes Investig* 2016;7(1):17-26.
145. Vale ML, Benevides VM, Sachs D, et al. Antihyperalgesic effect of pentoxyphylline on experimental inflammatory pain. *Br J Pharmacol*. 2004;143:833-844.
146. Vielkind U, Walencewicz A, Levine JM, et al. Type II glucocorticoid receptors are expressed in oligodendrocytes and astrocytes. *J Neurosci Res* 1990;27(3):360-323.
147. Wang R, King T, DeFelice M, Guo W, Ossipov MH, Porreca F. Descending facilitation maintains long-term spontaneous neuropathic pain. *J Pain*. 2013;14(8):845-853.
148. Wang L, Wang FS, Gershwin ME. Human autoimmune disease: a comprehensive update. *J Intern Med* 2015;278:369-395.
149. Webster KM, Wright DK, Sun M, et al. Progesterone treatment reduces neuroinflammation, oxidative stress and brain damage and improves long-term outcomes in a rat model of repeated mild traumatic brain injury. *J Neuroinflammation* 2015 Dec 18;12-238.
150. Well EJ, Cohen MS, Massic JB, et al. Cauda equina anatomy: intrathecal nerve root organization. *Spine* 1990;15:1244-1247.

151. Weller RO, Djuanda E, Yow H, et al. Lymphatic drainage of the brain and the pathophysiology of neurological disease. *Acta Neuropathol* 2009;117:1-14.
152. Whendon JM, Glassey D. Cerebrospinal fluid stasis and its clinical significance. *Altern Ther Health Med* 2009;15(3):54-60.
153. Xie L, et al. Sleep drives metabolite clearance from the adult brain. *Science* 2013;342:373-377.
154. Yao Y, Tan YH, Light AR, et al. Alendronate attenuates spinal microglial activation. *J Pain* 2016;17(8):889-903.
155. Zweiman B, Levinson AI. Immunologic aspects of neurological and neuromuscular diseases. *JAMA* 1992;268(20):2918-2922.