


BIBLIOGRAPHY OF SCIENTIFIC
ARTICLES SUPPORTING
THE USE OF ADRENALINE
AGENTS (STIMULANTS)
FOR AA AND EDS



336½ S. Glendora Ave., West Covina, CA 91790-3043
Phone: 626-919-7476 Fax: 626-919-7497
E-mail: veractinc@msn.com
www.arachnoiditishope.com

Furnished as a public service by the "Arachnoiditis Research and Education Project" of the Tennant Foundation

By

Forest Tennant MD, MPH, Dr. PH, FACPM

References on Use of Stimulants with Opioids

1. Pertovaara A. Noradrenergic pain modulation. *Prog Neurobiol.* 2006;80(2):53-83.
2. Dalal S, Melzack R. Potentiation of opioid analgesia by psychostimulant drugs: a review. *J Pain Symptom Manage.* 1998;16(4):245-253.
3. Weiss B, Laties VG. Enhancement of human performance by caffeine and the amphetamines. *Pharmacol Rev.* 1962;14:1-36.
4. Jasinski DR, Preston KL. Evaluation of mixtures of morphine and d-amphetamine for subjective and physiological effects. *Drug Alcohol Depend.* 1986;17(1):1-13.
5. Evans WO, Smith RP. Some effects of morphine and amphetamine on intellectual functions and mood. *Psychopharmacologia (Berl).* 1964;6(1):49-56.
6. Drago F, Caccamo G, Continella G, Scapagnini U. Amphetamine-induced analgesia does not involve brain opioids. *Eur J Pharmacol.* 1984;101(3-4):267-269.
7. Izenwasser S, Kornetsky C. Potentiation of morphine analgesia by d-amphetamine is mediated by norepinephrine and not dopamine. *Pain.* 1988;33(3):363-368.
8. Taylor AM, Castonguay A, Taylor AJ, et al. Microglia disrupt mesolimbic reward circuitry in chronic pain. *J Neurosci.* 2015;35(22):8442-8450.
9. Parent AJ, Beaudet N, Daigle K, et al. Relationship between blood- and cerebrospinal fluid-bound neurotransmitter concentrations and conditioned pain modulation in pain-free and chronic pain subjects. *J Pain.* 2015;16(5):436-444.
10. Ossiopov MH, Morimura K, Porreca F. Descending pain modulation and chronification of pain. *Curr Opin Support Palliat Care.* 2014;8(2):143-151.
11. Tsigos C, Reed P, Weinkove C, White A, Young RJ. Plasma norepinephrine in sensory diabetic polyneuropathy. *Diabetes Care.* 1993;16(5):722-727.
12. Millan MJ. Descending control of pain. *Prog Neurobiol.* 2002;66(6):355-474.
13. Clemow DB, Walker DJ. The potential for misuse and abuse of medications in ADHD: a review. *Postgrad Med.* 2014;126(5):64-81.
14. Tennant FS. Simultaneous use of stimulants and opioids. *Pract Pain Manage.* 2011;11(1):10-12.
15. Tennant FS. Status Report on Role of Stimulants in Chronic Pain Management. *Pract Pain Manage.* 2015;15(6).
16. Weber H. Uber anasthesie durch adrenalin: Verhandlungen der Deutschen Gassellschaft Fur. *Innere Medizin.* 1904;21:616-619.
17. Melzak R, Mount BM, Gordon JM. The Brompton mixture versus morphine solution given orally: effects on pain. In: *The RVH Manual on Palliative/Hospice Care: A Resource Book.* Ajemian I, Balfour M. Mount B, eds. Palliative Care Service: Royal Victoria Hospital, Montreal, Quebec, Canada;1980:172.
18. Ivy A, Goetzl FR, Bunil DY. Morphine-dextroamphetamine analgesia. *War Med.* 1944;6:67-71.
19. DeVoine Guyot J. The use of Benzedrine sulfate to overcome the untoward effects of morphine in the treatment of coronary occlusion. *J Mo Med Assoc.* 1941;38:93-94.
20. Handley CA, Ensberg DL. A comparison of amphetamine sulfate with other stimulants of the central nervous system in morphine respiratory depression. *Anesthesiology.* 1945;6:561-564.
21. Ahmed SS, Joglekar GV, Balwani JH. Potentiation of the analgesic effect of codeine in rats by d-amphetamine. *Arch Int Pharmacodyn Ther.* 1966;159(1):185-188.

22. Kulkarni SD, Joglekar GV, Balwaru JH. Modification of aspirin analgesia by amphetamine. *J Exp Med Sci*. 1967;11(1):14-17.
23. Nicak A. The influence of serotonin and amphetamine on analgesic effect of morphine after reserpine premedication in rats and mice. *Med Pharmacol Exp Int J Exp Med*. 1965;13(1):43-48.
24. Sasson S, Unterwald EM, Kornetsky C. Potentiation of morphine analgesia by d-amphetamine. *Psychopharmacology (Berl)*. 1986;90(2):163-165.
25. Evans WO. The synergism of autonomic drugs on opiate or opioid-induced analgesia: a discussion of its potential utility. *Milit Med*. 1962;127:1000-1003.
26. Evans WO, Bergner DP. A comparison of the analgesic potencies of morphine, pentazocine, and a mixture of methamphetamine and pentazocine in the rat. *J New Drugs*. 1964;4(2):82-85.
27. Evans WO. The effect of stimulant drugs on opiate induced analgesia. *Arch Biol Med Exp (Santiago)*. 1967;4:144-149.
28. Richards RK. A study of the effect of d-amphetamine on the toxicity, analgesic potency and swimming impairment caused by potent analgesics in mice. *Arch Int Pharmacodyn Ther*. 1975;216(2):225-245.
29. Nott MW. Potentiation of morphine analgesia by cocaine in mice. *Eur J Pharmacol*. 1968;5(1):93-99.
30. Bruera E, Miller MJ, Macmillan K, Kuehn NI. Neuropsychological effects of methylphenidate in patients receiving a continuous infusion of narcotics for cancer pain. *Pain*. 1992;48(2):163-166.
31. Forrest WH Jr, Brown BW Jr, Brown CR, et al. Dextroamphetamine with morphine for the treatment of postoperative pain. *N Engl J Med*. 1977;296(13):712-715.
32. Miksic S, Shearman GT, Lal H. Differential enhancement of narcotic discrimination and analgesia by amphetamine and haloperidol: an evidence for distinct mechanisms underlying analgesia and euphoria. *Subst Alcohol Actions Misuse*. 1980;1(3):281-285.
33. Tennant FS. How addicting are appetite suppressants when prescribed for weight control. Presented at: 33rd Annual Medical-Scientific Conference of the American Society of Addiction Medicine, Atlanta, GA. April 25-28, 2002.
34. Millan MJ. Descending control of pain. *Prog in Neurobio* 2002; 66:355-474.