

Bibliography: Stimulants for Intractable Pain Treatment

1. Ahmed SS, Joglekar GV, Balwani JH. Potentiation of the analgesic effect of codeine in rats by d-amphetamine. Arch Int Pharmacodyn Ther. 1966;159(1):185-188.
2. Bruera E, Miller MJ, Macmillan K, Kuehn NI. Neuropsychological effects of methylphenidate in patients receiving a continuous infusion of narcotics for cancer pain. Pain. 1992;48(2):163-166.
3. Clemow DB, Walker DJ. The potential for misuse and abuse of medications in ADHD: a review. Postgrad Med. 2014;126(5):64-81.
4. Dalal S, Melzack R. Potentiation of opioid analgesia by psychostimulant drugs: a review. J Pain Symptom Manage. 1998;16(4):245-253.
5. DeVoine Guyot J. The use of Benzedrine sulfate to overcome the untoward effects of morphine in the treatment of coronary occlusion. J Mo Med Assoc. 1941;38:93-94.
6. Drago F, Caccamo G, Continella G, Scapagnini U. Amphetamine-induced analgesia does not involve brain opioids. Eur J Pharmacol. 1984;101 (3-4):267-269.
7. Evans WO. The synergism of autonomic drugs on opiate or opioid-induced analgesia: a discussion of its potential utility. Milit Med. 1962;127:1000-1003.
8. Evans WO, Bergner DP. A comparison of the analgesic potencies of morphine, pentazocine, and a mixture of methamphetamine and pentazocine in the rat. J New Drugs. 1964;4(2):82-85.
9. Evans WO, Smith RP. Some effects of morphine and amphetamine on intellectual functions and mood. Psychopharmacologia (Berl). 1964;6(1):49-56.
10. Evans WO. The effect of stimulant drugs on opiate induced analgesia. Arch Biol Med Exp (Santiago). 1967;4:144-149.
11. Forrest WH Jr, Brown BW Jr, Brown CR, et al. Dextroamphetamine with morphine for the treatment of postoperative pain. N Engl J Med. 1977;296(13):712-715.
12. Handley CA, Ensberg DL. A comparison of amphetamine sulfate with other stimulants of the central nervous system in morphine respiratory depression. Anesthesiology. 1945;6:561-564.
13. Ivy A, Goetzl FR, Bunil DY. Morphine-dextroamphetamine analgesia. War Med. 1944;6:67-71.
14. Izenwasser S, Kornetsky C. Potentiation of morphine analgesia by d-amphetamine is mediated by norepinephrine and not dopamine. Pain. 1988;33(3):363-368.
15. Jasinski DR, Preston KL. Evaluation of mixtures of morphine and d-amphetamine for subjective and physiological effects. Drug Alcohol Depend. 1986;17(1):1-13.
16. Kulkarni SD, Joglekar GV, Balwaru JH. Modification of aspirin analgesia by amphetamine. J Exp Med Sci. 1967;11(1):14-17.
17. Melzak R, Mount BM, Gordon JM. The Brompton mixture versus morphine solution given orally: effects on pain. In: The RVH Manual on Palliative/Hospice Care: A Resource Book. Ajemian I, Balfour M, Mount B, eds. Palliative Care Service: Royal Victoria Hospital, Montreal, Quebec, Canada;1980:172.
18. Miksic S, Shearman GT, Lal H. Differential enhancement of narcotic discrimination and analgesia by amphetamine and haloperidol: an evidence for distinct mechanisms underlying analgesia and euphoria. Subst Alcohol Actions Misuse. 1980;1(3):281-285.
19. Millan MJ. Descending control of pain. Prog Neurobiol. 2002;66(6):355-474.

20. Nicak A. The influence of serotonin and amphetamine on analgesic effect of morphine after reserpine premedication in rats and mice. Med Pharmacol Exp Int J Exp Med. 1965;13(1):43-48.
21. Nott MW. Potentiation of morphine analgesia by cocaine in mice. Eur J Pharmacol. 1968;5(1): 93-99.
22. Ossiopov MH, Morimura K, Porreca F. Descending pain modulation and chronification of pain. Curr Opin Support Palliat Care. 2014;8(2):143-151.
23. Parent AJ, Beaudet N, Daigle K, et al. Relationship between blood- and cerebrospinal fluid-bound neurotransmitter concentrations and conditioned pain modulation in pain-free and chronic pain subjects. J Pain. 2015;16(5):436-444.
24. Pertovaara A. Noradrenergic pain modulation. Prog Neurobiol. 2006;80(2):53-83.
25. Richards RK. A study of the effect of d-amphetamine on the toxicity, analgesic potency and swimming impairment caused by potent analgesics in mice. Arch Int Pharmacodyn Ther. 1975;216(2):225-245.
26. Sasson S, Unterwald EM, Kornetsky C. Potentiation of morphine analgesia by d-amphetamine. Psychopharmacology (Berl). 1986;90(2): 163-165.
27. Taylor AM, Castonguay A, Taylor AJ, et al. Microglia disrupt mesolimbic reward circuitry in chronic pain. J Neurosci. 2015;35(22):8442-8450.
28. Tennant FS. How addicting are appetite suppressants when prescribed for weight control. Presented at: 33rd Annual Medical-Scientific Conference of the American Society of Addiction Medicine, Atlanta, GA. April 25-28, 2002.
29. Tennant FS. Simultaneous use of stimulants and opioids. Pract Pain Manage. 2011;11(1):10-12.
30. Tennant FS. Status Report on Role of Stimulants in Chronic Pain Management. Pract Pain Manage. 2015;15(6).
31. Tsigos C, Reed P, Weinkove C, White A, Young RJ. Plasma norepinephrine in sensory diabetic polyneuropathy. Diabetes Care. 1993;16(5):722-727.
32. Weber H. Uber anasthesie durch adrenalin: Verhandlungen der Deutschen Gassellschaft Fur. Innere Medizin. 1904;21:616-619.
33. Weiss B, Laties VG. Enhancement of human performance by caffeine and the amphetamines. Pharmacol Rev. 1962;14:1-36
34. Martikainen IK, Nuechterlein EB, Pecina M, et al. Chronic back pain is associated with alterations in dopamine neurotransmission in the ventral striatum. J Neuroscience 2015;35(27):9957-9965.
35. Hagelberg N, Martikainen IK, Mansikka IT, et al. Dopamine D₂ receptor binding in the human brain is associated with the response to painful stimulation and pain modulatory capacity. Pain 2002;99:273-279.
36. Taylor BK, Joshi C, Uppal H. Stimulation of dopamine D₂ receptors in the nucleus accumbens inhibits inflammatory pain. Brain Res 2003;987:135-143.
37. Magnusson JE, Fisher K. The involvement of dopamine in nociception: the role of D(1) and D(2) receptors in the dorsolateral striatum. Brain Res 2000;855:260-266.
38. Kerekes N, Sanchez-Perez AM, Landry M. Neuroinflammation as a possible link between attention deficit/hyperactivity disorders (ADHD) and pain. Med Hypoth 2021;157:110717.

39. Kasahora S, Okamura P, Matsudaira K, et al. Diagnosis and treatment of attention-deficit hyperactivity disorder in patients with chronic pain. Open J Psych 2017;7:261-275.